



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50117010-002



**Production Method:** Ice/Water  
**Batch#:** FCS001250408  
**Source Facility:** Florida Cannabis Supply Process and Manufacturing  
**Seed to Sale#:** FCS00125  
**Harvest Date:** 01/06/25  
**Sample Size Received:** 56 units  
**Total Amount:** 10000 units  
**Retail Product Size:** 112 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 112  
**Ordered:** 01/06/25  
**Sampled:** 01/17/25  
**Completed:** 01/21/25  
**Sampling Method:** SOP.T.20.010.FL

Jan 21, 2025 | Florida Cannabis Supply Corporation

5164 S Florida Ave  
Inverness, FL, 34450, US



**PASSED**

Pages 1 of 3

### SAFETY RESULTS

								
Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials PASSED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filth PASSED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

### Cannabinoid PASSED

	<b>Total THC</b> <b>0.013%</b> Total THC/Container : 14.560 mg		<b>Total CBD</b> <b>0.038%</b> Total CBD/Container : 42.560 mg		<b>Total Cannabinoids</b> <b>0.062%</b> Total Cannabinoids/Container : 69.440 mg
--	--	---	--	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.004	0.011	0.007	0.036	ND	ND	0.004	ND	ND	ND	ND
mg/unit	4.48	12.32	7.84	40.32	ND	ND	4.48	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 1440      Weight: 3.0274g      Extraction date: 01/17/25 12:32:14      Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA082331POT  
Instrument Used : DA-LC-007  
Analyzed Date : 01/20/25 11:02:29      Batch Date : 01/17/25 10:07:40

Dilution : 400  
Reagent : 011325.R08; 121724.01; 011325.R09  
Consumables : 947.110; 04312111; 040724CH01; 0000355309  
Pipette : DA-077; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
01/21/25



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

Topical  
 Matrix : Derivative  
 Type: Topical



# Certificate of Analysis

**PASSED**

Florida Cannabis Supply Corporation

5164 S Florida Ave  
 Inverness, FL, 34450, US  
 Telephone: 3524194130  
 Email: brit@flcannabis.store

Sample : DA50117010-002

Batch# : FCS001250408  
 Sampled : 01/17/25  
 Ordered : 01/17/25

Sample Size Received : 56 units  
 Total Amount : 10000 units  
 Completed : 01/21/25 Expires: 01/21/26  
 Sample Method : SOP.T.20.010.FL

Page 2 of 3

	<b>Microbial</b>	<b>PASSED</b>
--	------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>SALMONELLA SPECIFIC GENE</b>			Not Present	PASS	
<b>ECOLI SHIGELLA</b>			Not Present	PASS	
<b>ASPERGILLUS FLAVUS</b>			Not Present	PASS	
<b>ASPERGILLUS FUMIGATUS</b>			Not Present	PASS	
<b>ASPERGILLUS TERREUS</b>			Not Present	PASS	
<b>ASPERGILLUS NIGER</b>			Not Present	PASS	
<b>TOTAL YEAST AND MOLD</b>	10.00	CFU/g	<10	PASS	100000

Analyzed by: 4520, 585, 1440      Weight: 0.85g      Extraction date: 01/17/25 11:39:50      Extracted by: 4044

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA082308MIC

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-171, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367  
 Batch Date : 01/17/25 09:27:00  
 Analyzed Date : 01/19/25 18:01:06

Dilution : 10  
 Reagent : 123124.20; 123124.30; 121824.R48; 062624.17  
 Consumables : 7577004067; 7578003011  
 Pipette : N/A

Analyzed by: 4520, 4777, 585, 1440      Weight: 0.85g      Extraction date: N/A      Extracted by: 4044

Analysis Method : SOP.T.40.209.FL  
 Analytical Batch : DA082310TYM

Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]      Batch Date : 01/17/25 09:27:49  
 Analyzed Date : 01/19/25 17:59:51  
 Dilution : 10  
 Reagent : 123124.20; 123124.30; 110724.R13  
 Consumables : N/A  
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 01/21/25



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

.....  
 Topical  
 Matrix : Derivative  
 Type: Topical



# Certificate of Analysis

**PASSED**

Florida Cannabis Supply Corporation

5164 S Florida Ave  
 Inverness, FL, 34450, US  
 Telephone: 3524194130  
 Email: brit@flcannabis.store

Sample : DA50117010-002

Batch# : FCS001250408  
 Sampled : 01/17/25  
 Ordered : 01/17/25

Sample Size Received : 56 units  
 Total Amount : 10000 units  
 Completed : 01/21/25 Expires: 01/21/26  
 Sample Method : SOP.T.20.010.FL

Page 3 of 3

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: 1g	Extraction date: 01/21/25 09:59:55	Extracted by: 585
---------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA082434FIL  
 Instrument Used : Filth/Foreign Material Microscope      Batch Date : 01/21/25 09:52:33  
 Analyzed Date : 01/21/25 10:03:24

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 01/21/25